



भारत का राजपत्र The Gazette of India

असाधारण
EXTRAORDINARY

भाग II—खण्ड 3—उप-खण्ड (ii)
PART II—Section 3—Sub-section (ii)

प्राधिकार से प्रकाशित
PUBLISHED BY AUTHORITY

सं. 1188]
No. 1188]

नई दिल्ली, शुक्रवार, अक्टूबर 6, 2006/आश्विन 14, 1928
NEW DELHI, FRIDAY, OCTOBER 6, 2006/ASVINA 14, 1928

वाणिज्य और उद्योग मंत्रालय

(औद्योगिक नीति और संवर्धन विभाग)

अधिसूचना

नई दिल्ली, 6 अक्टूबर, 2006

का.आ. 1718(अ).— चूंकि केंद्र सरकार को मै. गुजरात स्टेट पेट्रोलियम कारपोरेशन लिमिटेड, ब्लाक नं. 15, दूसरी मंजिल, उद्योग भवन, सेक्टर-11, गांधीनगर -382011 (गुजरात) से, तेल निकालने के प्रयोग के लिए यू.एस.ए. से हवाई जहाज द्वारा कुछ विशेष विस्फोटकों को आयात करने की अनुमति हेतु पेट्रोलियम तथा विस्फोटक सुरक्षा संगठन में एक प्रस्ताव प्राप्त हुआ है

और चूंकि पेट्रोलियम तथा विस्फोटक सुरक्षा संगठन संतुष्ट है कि विस्फोटकों के प्रस्तावित आयात का उपयोग, तेल खोज प्रयोजन में किया जाएगा और, इसलिए विस्फोटक नियमावली, 1983 (इसे यहां उक्त नियमावली कहा गया है) के नियम 31 के उप-नियम (2) के दायरे से आवश्यक छूट प्रदान की जा सकती है, जिसके तहत यहां विनिर्दिष्ट किए गए विस्फोटकों का हवाई जहाज द्वारा आयात अथवा निर्यात निषिद्ध है;

और जबकि नागर विमानन महानिदेशक ने वायुयान (खतरनाक वस्तुओं का वहन) नियमावली, 2003 के नियम 3 के उप-नियम (1) द्वारा प्रदत्त शक्तियों का प्रयोग करते हुए अपने परमिट सं. 285-डीजी/2005 दिनांक 24.8.2006 द्वारा जो कि 28 फरवरी, 2007 तक वैध है इस प्रकार के विस्फोटकों को वायु मार्ग द्वारा ले जाने के लिए मै. जीएसपीसी लिमिटेड को कतिपय शर्तों के साथ आवश्यक अनुमति प्रदान की है।

अतः अब विस्फोटक अधिनियम, 1884(1884 का 4) की धारा 14 की उप-धारा (2) द्वारा प्रदत्त शक्तियों का प्रयोग करते हुए तथा पेट्रोलियम तथा विस्फोटक सुरक्षा संगठन (पीईएसओ) और नागर विमानन महानिदेशक द्वारा की गई सिफारिशों के आधार पर केन्द्र सरकार एतद्वारा मै. गुजरात स्टेट पेट्रोलियम कारपोरेशन लिमिटेड, गांधीनगर, गुजरात को मै. श्लूमबर्गर रिजर्वॉयर कम्पलीशन्स, 14910, एयर लाइन रोड रोशारॉन, टैक्सास 77583, यू.एस.ए. हेतु मै. श्लूमबर्गर, एस.आर.सी. टेक्नोलॉजी सेंटर, श्लूमबर्गर टेक्नोलॉजी कारपोरेशन, 110 श्लूमबर्गर ड्राइव, शुगर लैंड, टैक्सास 77478, संयुक्त राज्य अमेरिका से चेन्नई हवाई अड्डे पर निम्नलिखित विस्फोटकों का वायुमार्ग द्वारा आयात करने के लिए उक्त नियमावली के नियम 31 के उप-नियम (2) के उपबंधों से छूट देती है जिसकी मदों और मात्राओं को नीचे दी गई तालिका में विनिर्दिष्ट किया गया है, नामतः

सारणी				
क्रम सं.	विस्फोटक सामग्री का नाम	यू.एन. संख्या	वर्ग आई एम ओ	निवल भार (कि.ग्रा. में)
(1)	(2)	(3)	(4)	(5)
1.	चार्लेज, शेल्ड	0441	1.4 एस	424.567
2.	चार्लेज, शेल्ड	0441	1.4 एस	238.140
3.	चार्लेज, शेल्ड	0441	1.4 एस	39.920
4.	डिटोनेटर्स, इलैक्ट्रिक	0456	1.4 एस	2.400
5.	आर्टिकल्स, एक्सप्लोसिव, एन.ओ.एस	0349	1.4 एस	3.630
6.	आर्टिकल्स, एक्सप्लोसिव, एन.ओ.एस	0349	1.4 एस	5.440
7.	आर्टिकल्स, एक्सप्लोसिव, एन.ओ.एस	0349	1.4 एस	5.440
8.	कम्पोजेन्ट्स, एक्सप्लोसिव ट्रेन, एन.ओ.एस.	0384	1.4 एस	0.012
9.	डिटोनेटर्स, इलैक्ट्रिक	0456	1.4 एस	0.240
10.	चार्लेज, शेल्ड	0441	1.4 एस	672.235

2. उक्त सारणी में उल्लिखित विस्फोटकों का आयात निम्नलिखित शर्तों के अधीन होगा, नामतः :-

- (1) नागर विमानन महानिदेशक और भारतीय हवाई अड्डा प्राधिकरण से आवश्यक स्वीकृति प्राप्त की जाएगी और उनके द्वारा लगाई गई शर्तों, यदि कोई हों, का पालन किया जायेगा ;
- (2) 1 जनवरी, 1996 से लागू हुई अन्तरराष्ट्रीय वायु परिवहन एसोसिएशन खतरनाक माल विनियमावली के 37वें संस्करण की धारा 3 के 3.1 के तहत आने वाले प्रथम श्रेणी के विस्फोटकों से संबंधित प्रभाग के प्रभाग 1.4 के ही अनुरूप विस्फोटकों का आयात किया जायेगा ;
- (3) (नियम 31 के उपनियम (2) के अलावा) उक्त नियमों में यथा निहित विस्फोटकों के कब्जे, परिवहन, प्रयोग और आयात से संबंधित सुसंगत उपबंधों का पालन किया जायेगा ;
- (4) उक्त नियमों के अधीन लाइसेंसशुदा विस्फोटक सामग्री के वाहनों की पर्याप्त संख्या हवाई अड्डे पर तैयार रखी जायेगी ताकि विस्फोटक सामग्री को, वायुयान के उतरते ही शीघ्रता से हटाया जा सके ;
- (5) वायुयान को हवाई अड्डे पर दूरस्थ स्थान पर खड़ा किया जायेगा और विस्फोटकों का वायुयान से वाहन में अंतरण शुरू होने से पहले महानिदेशक, नागर विमानन से परामर्श करके पर्याप्त संख्या में सुरक्षा गाड़ों का प्रबंध करके वायुयान और विस्फोटक सामग्री वाहन के चारों ओर कम से कम 500 वर्गमीटर क्षेत्र को घेर लिया जायेगा । उक्त व्यवस्था तब तक बनी रहेगी जब तक कि अन्तरण पूरा नहीं हो जाता और अच्छी तरह से बन्द वाहन उक्त स्थान से रवाना नहीं हो जाता ;

- (6) घिरे हुए क्षेत्र के अन्दर कोई धूम्रपान अथवा खुली बत्ती के उपयोग की अनुमति नहीं होगी ; तथा
- (7) उपर्युक्त विस्फोटक सामग्री को ले जा रहे वाहन उक्त नियमों के अधीन लाइसेंसयुक्त भण्डारण मैगजीन की ओर अग्रसर होंगे और रास्ते में कोई अनुचित विलम्ब नहीं किया जायेगा और विस्फोटकों के परिवहन के दौरान उक्त नियमों के सभी उपबंधों और स्थानीय यातायात नियमों और नगर पालिका के विनियमों, यदि कोई हों, का पालन किया जायेगा ।

[फा. सं. 2(12)/2006-विस्फो.]

बी. के. गोयल, तकनीकी सलाहकार (बायलर)

MINISTRY OF COMMERCE AND INDUSTRY

(Department of Industrial Policy and Promotion)

NOTIFICATION

New Delhi, the 6th October, 2006

S.O. 1718(E).—Whereas the Central Government has received a proposal made by M/s. Gujarat State Petroleum Corporation Limited, Block-15, 2nd Floor, Udyog Bhavan, Sector-11, Gandhinagar – 382 011 (Gujarat) to the Petroleum and Explosives Safety Organisation for permission to import certain explosives by air from United States of America for oil exploration purposes;

And, whereas the Petroleum and Explosives Safety Organisation is satisfied that the proposed import of explosives shall be used for oil exploration purposes and, therefore, necessary exemption may be granted from the purview of sub-rule (2) of rule 31 of the explosives Rules, 1983 (hereinafter referred to as the said rules) which prohibits import or export of explosives specified herein by air;

And, whereas the Director General of Civil Aviation has in exercise of the powers conferred by sub-rule (1) of rule 3 of the Aircraft (Carriage of Dangerous Goods) Rules, 2003, granted necessary permission with certain conditions to M/s. Gujarat State Petroleum Corporation Limited, Gandhinagar, Gujarat to carry such explosives by air vide their permit number 285-DG/2006 dated 24.8.2006 which is valid upto 28th February, 2007;

Now, therefore, in exercise of the powers conferred by sub-section (2) of section 14 of the Explosives Act, 1884 (4 of 1884), and on the recommendations made by the Petroleum and Explosives Safety Organisation and the Director General of Civil Aviation, the Central Government hereby exempts M/s. Gujarat State Petroleum Corporation Limited, Gandhinagar, Gujarat from the provisions of sub-rule (2) of rule 31 of the said rules, for import of the following explosives, the items

and quantities of which are specified in the Table below, by air from M/s. Schlumberger Reservoir Completions, 14910, Airline Road, Rosharon, Texas 77583, U.S.A. for M/s. Schlumberger, S.R.C. Technology Centre, Schlumberger Technology Corporation 110, Schlumberger Drive, Sugar Land, Texas-77478, USA at Chennai airport, namely:-

TABLE

S.No.	Name of the Explosives	U.N. Number	Class	Net weight (in kilograms)
(1)	(2)	(3)	(4)	(5)
1.	Charges, shaped	0441	1.4S	424.567
2.	Charges, Shaped	0441	1.4S	238.140
3.	Charges, Shaped	0441	1.4S	39.920
4.	Detonators, Electric	0456	1.4S	2.400
5.	Articles, Explosive, N.O.S.	0349	1.4S	3.630
6.	Articles, Explosive, N.O.S.	0349	1.4S	5.440
7.	Articles, Explosive, N.O.S.	0349	1.4S	5.440
8.	Components, Explosive Train, N.O.S.	0384	1.4S	0.012
9.	Detonators, Electric	0456	1.4S	0.240
10.	Charges, Shaped	0441	1.4S	672.235

2. The explosives mentioned in the Table shall be imported subject to the following conditions, namely:-

- (1) necessary clearances are obtained from the Director General of Civil Aviation and the Airports Authority of India and conditions, if any, imposed by the said authorities shall be complied with;
- (2) explosives conforming only to Division 1.4 of the Division relating to class-1-Explosives falling under 3.1 of section 3 of 37th Edition of International Air Transport Association Dangerous Goods Regulations, which became effective on 1st January, 1996, shall be imported;
- (3) strict compliance with the relevant provisions relating to the possession, transport, use and import of explosives, except sub-rule (2) of rule 31 of the said rules;
- (4) requisite number of explosives vans, licensed under the said rules, shall be kept ready at the airport so that the explosives can be removed expeditiously from the aircraft after its landing;

- (5) aircraft shall be parked at a remote place at the airport and an area of at least five hundred square metres around the aircraft and the explosives van shall be cordoned off by providing adequate number of security guards in consultation with the Director General of Civil Aviation before the transfer of explosives from aircraft to van begins. The arrangement shall continue till such transfer is completed and the van is duly locked and leaves the site;
- (6) smoking or use of naked light shall not be permitted within the cordoned area; and
- (7) vans carrying the explosives shall proceed to the storage magazine licensed under the said rules and no undue delay shall be made on the way and all provisions of the said rules and local traffic rules and municipal regulations, if any, shall be complied with during the transportation of the explosives.

[F.No. 2(12)/2006-Expl.]

V. K. GOEL, Technical Adviser (Boiler)

2167 9706-2